



Command= 210-

Point#, Start#-End# or G#= 1-287

| Bearing                                        | Distance | Elev | Descrip  | Pnt. | Northing  | Easting   | Type |
|------------------------------------------------|----------|------|----------|------|-----------|-----------|------|
| -----12-28-2023-----08:08:01-----D:...\BMHOME1 |          |      |          |      |           |           |      |
|                                                | 12.26    |      | SETHUB   | 1    | 5101.6999 | 5504.4743 |      |
|                                                | 12.71    |      | SETHUB   | 2    | 4992.3030 | 5204.6912 |      |
|                                                | 13.82    |      | SETHUB   | 3    | 4983.9229 | 5006.6084 |      |
|                                                | 10.17    |      | SETSPK   | 4    | 5101.1633 | 5002.2861 |      |
|                                                | 9.29     |      | SETMAGNL | 5    | 5255.1357 | 5102.4585 |      |
|                                                | 72.34    |      | FNDDHSB  | 6    | 5583.0904 | 5642.5462 | SS   |
|                                                | 15.17    |      | FNDIP*   | 7    | 5274.8935 | 5524.6088 | SS   |
|                                                | 14.58    |      | FNDDHSB  | 8    | 5228.2650 | 5506.9855 | SS   |
|                                                | 14.68    |      | FNDDHSB  | 9    | 5181.5463 | 5489.0108 | SS   |
|                                                | 10.90    |      | FNDIP    | 10   | 5151.9110 | 5315.0356 | SS   |
|                                                | 15.42    |      | TOPGBND* | 11   | 5100.7336 | 5447.7425 | SS   |
|                                                | 12.50    |      | OFFSET   | 12   | 5010.2947 | 5203.1230 | SS   |
|                                                | 12.19    |      | NL@GB*** | 13   | 5024.5359 | 5250.7290 | SS   |
|                                                | 13.67    |      | FNDDH**  | 14   | 4982.1214 | 5054.6563 | SS   |
|                                                | 13.00    |      | FND<IRON | 15   | 5004.8779 | 5102.6733 | SS   |
|                                                | 13.74    |      | TOPCLWLL | 16   | 4984.5457 | 5125.9424 | SS   |
|                                                | 10.16    |      | BOTFACWL | 17   | 4984.2258 | 5132.1193 | SS   |
|                                                | 13.92    |      | <FACWL   | 18   | 4987.0290 | 5203.3988 | SS   |
|                                                | 9.15     |      | FNDIP    | 19   | 5174.9059 | 5255.2898 | SS   |
|                                                | 10.57    |      | STONE*** | 20   | 5674.2138 | 5403.3688 | SS   |
|                                                | 9.30     |      | FNDIP    | 21   | 5515.4980 | 5295.2318 | SS   |
|                                                | 9.13     |      | APPCORFC | 22   | 5181.0585 | 5095.0171 | SS   |
|                                                | 10.45    |      | FNDNLPOL | 23   | 5246.0600 | 5090.5533 | SS   |
|                                                | 13.75    |      | CORENDWL | 24   | 4989.1537 | 5054.4433 | SS   |
|                                                | 11.33    |      | CORFNC** | 25   | 5004.0337 | 5053.5738 | SS   |
|                                                | 15.81    |      | CORDCK** | 26   | 5004.1527 | 5045.9522 | SS   |
|                                                |          |      | EDGROOF  | 27   | 5003.7263 | 5047.2059 | SS   |
|                                                | 13.82    |      | CORDECK  | 28   | 5000.4728 | 5045.7102 | SS   |
|                                                | 13.75    |      | CLWLCRDK | 29   | 4981.5138 | 5046.4657 | SS   |
|                                                | 13.75    |      | CLWLCLST | 30   | 4981.0134 | 5034.6579 | SS   |
|                                                | 10.32    |      | ENDSTP** | 31   | 4976.8342 | 5034.8215 | SS   |
|                                                | 13.74    |      | CLWLCRDK | 32   | 4980.4739 | 5020.5584 | SS   |
|                                                | 10.76    |      | CORWLL** | 33   | 4979.2683 | 5003.7352 | SS   |
|                                                | 13.71    |      | PIDCK**  | 34   | 4994.0630 | 5019.8649 | SS   |
|                                                | 13.69    |      | CORDCK   | 35   | 4998.8366 | 5013.8067 | SS   |
|                                                | 13.36    |      | CORHSE*  | 36   | 5002.7977 | 5019.5227 | SS   |
|                                                | 13.58    |      | CORDK33" | 37   | 5016.1232 | 5012.6926 | SS   |
|                                                | 13.75    |      | <WLFC**  | 38   | 5001.6638 | 5003.0718 | SS   |
|                                                | 13.73    |      | ENDWLLFC | 39   | 5018.6015 | 5010.1605 | SS   |
|                                                | 12.44    |      | CORHSE   | 40   | 5019.3558 | 5018.6715 | SS   |
|                                                | 15.36    |      | CORDCK** | 41   | 5033.2196 | 5017.8848 | SS   |
|                                                | 16.21    |      | <HSE     | 42   | 4985.0925 | 4939.2086 | SS   |
|                                                | 10.07    |      | CORHSEWD | 43   | 5026.2494 | 4957.0281 | SS   |
|                                                | 11.66    |      | CORFNC   | 44   | 5090.6604 | 4997.2148 | SS   |
|                                                | 11.28    |      | CORFNC   | 45   | 5069.0621 | 4987.9019 | SS   |
|                                                | 15.78    |      | DECK***  | 46   | 5009.2451 | 5036.2959 | SS   |

JOB #13 440cooper [287]

| Bearing | Distance | Elev    | Descrip  | Pnt.      | Northing  | Easting   | Type           |
|---------|----------|---------|----------|-----------|-----------|-----------|----------------|
| -----   | -----    | -----   | -----    | -----     | -----     | -----     | -----          |
|         |          | -12-28- | 2023-    | 08:08:01- |           |           | D:... \BMHOME1 |
|         |          |         | FNDIP    | 47        | 5090.2655 | 4997.0446 | TRA            |
|         |          |         | FNDIP    | 48        | 5010.2817 | 5202.9736 | TRA            |
|         | 14.03    |         | ENDFNC** | 49        | 5110.6245 | 5047.7827 | SS             |
|         | 11.85    |         | TOPIBAR* | 50        | 5093.1774 | 5048.5113 | SS             |
|         | 11.59    |         | BASESIGN | 51        | 5089.2570 | 5020.0922 | SS             |
|         | 11.58    |         | CORFNC   | 52        | 5051.2179 | 5043.3831 | SS             |
|         | 11.77    |         | CORHSE   | 53        | 5042.5029 | 5043.9486 | SS             |
|         | -37.74   |         | CORROOF  | 54        | 5043.3489 | 5043.9282 | SS             |
|         | 11.15    |         | CORFNC   | 55        | 5050.6620 | 5030.8102 | SS             |
|         | 11.28    |         | CORHSE   | 56        | 5041.5252 | 5025.5916 | SS             |
|         | 12.22    |         | CORSTP** | 57        | 5037.6622 | 5025.0561 | SS             |
|         | 11.25    |         | H2OS/O   | 58        | 5083.2905 | 5018.4978 | SS             |
|         | 10.15    |         | SMH      | 59        | 5102.5896 | 5011.4862 | SS             |
|         | 10.76    |         | POLE     | 60        | 5097.0572 | 4996.5675 | SS             |
|         |          |         |          | 100       | 5000.0000 | 5000.0000 |                |
|         |          |         |          | 101       | 5002.6437 | 5053.2344 | TRA            |
|         |          |         |          | 102       | 5005.1237 | 5103.1729 | TRA            |
|         |          |         |          | 103       | 5007.6037 | 5153.1113 | TRA            |
|         |          |         |          | 104       | 5010.0837 | 5203.0498 | TRA            |
|         |          |         |          | 105       | 5025.1942 | 5250.7119 | TRA            |
|         |          |         |          | 106       | 5040.3046 | 5298.3740 | TRA            |
|         |          |         |          | 107       | 5055.4150 | 5346.0361 | TRA            |
|         |          |         |          | 108       | 5070.5254 | 5393.6982 | TRA            |
|         |          |         |          | 109       | 5085.7446 | 5441.7034 | TRA            |
|         |          |         |          | 110       | 5101.2498 | 5447.6320 | TRA            |
|         |          |         |          | 111       | 5226.3935 | 5120.3479 | TRA            |
|         |          |         |          | 112       | 5192.9358 | 5098.6087 | TRA            |
|         |          |         |          | 113       | 5025.8493 | 5013.7950 | TRA            |
|         |          |         |          | 114       | 5000.0000 | 5000.0000 | TRA            |
|         |          |         |          | 115       | 5092.4592 | 5047.6064 | TRA            |
|         |          |         |          | 116       | 5185.9003 | 5095.0374 | TRA            |
|         |          |         |          | 117       | 5217.4790 | 5143.6617 | TRA            |
|         |          |         |          | 118       | 5200.6072 | 5187.7860 | TRA            |
|         |          |         |          | 119       | 5195.5713 | 5200.9561 | TRA            |
|         |          |         |          | 120       | 5174.8101 | 5255.2522 | TRA            |
|         |          |         |          | 121       | 5151.9274 | 5315.0966 | TRA            |
|         |          |         |          | 122       | 5129.0447 | 5374.9409 | TRA            |
|         |          |         |          | 123       | 5138.4062 | 5461.8393 | TRA            |
|         |          |         |          | 124       | 5260.2023 | 5143.3040 | INT            |
|         |          |         |          | 125       | 5430.1902 | 5258.7252 | TRA            |
|         |          |         |          | 126       | 5321.6536 | 5542.5826 | TRA            |
|         |          |         |          | 127       | 5134.8447 | 5471.1538 | INT            |
|         |          |         |          | 128       | 5359.1090 | 5556.9041 | TRA            |
|         |          |         |          | 129       | 5545.9187 | 5628.3333 | TRA            |
|         |          |         |          | 130       | 5583.2807 | 5642.6191 | TRA            |
|         |          |         |          | 131       | 5669.2099 | 5417.8870 | TRA            |
|         |          |         |          | 132       | 5632.7765 | 5401.1726 | TRA            |
|         |          |         |          | 133       | 5464.2883 | 5281.8268 | TRA            |
|         |          |         |          | 134       | 5228.2487 | 5506.8680 | TRA            |
|         |          |         |          | 135       | 5181.5463 | 5489.0108 | TRA            |
|         | 12.23    |         | 1sethub  | 200       | 5101.6999 | 5504.4743 | TRA            |
|         | 12.71    |         | 2hub     | 201       | 4992.3030 | 5204.6912 | SS             |
|         | 11.03    |         | setmgnl  | 202       | 5145.1091 | 5373.1424 | SS             |
|         | 9.30     |         | 5mgnl    | 203       | 5255.1325 | 5102.4694 | SS             |
|         | 12.56    |         | corhsea  | 204       | 5114.4739 | 5418.2150 | SS             |
|         | 12.48    |         | corhseb  | 205       | 5117.4786 | 5410.8952 | SS             |
|         | 14.06    |         | corhvac* | 206       | 5109.9418 | 5423.0202 | SS             |
|         | 13.17    |         | cordeck  | 207       | 5109.5710 | 5435.3611 | SS             |

JOB #13 440cooper [287]

| Bearing | Distance   | Elev     | Descrip | Pnt.      | Northing  | Easting | Type           |
|---------|------------|----------|---------|-----------|-----------|---------|----------------|
| -----   | -----      | -----    | -----   | -----     | -----     | -----   | -----          |
|         | 12-28-2023 | 08:08:01 |         |           |           |         | D:... \BMHOME1 |
|         | 13.78      | cordeck  | 208     | 5077.3962 | 5445.4198 | SS      |                |
|         | 13.82      | cordeck  | 209     | 5071.5163 | 5441.9707 | SS      |                |
|         | 13.65      | cordeck  | 210     | 5063.2217 | 5414.5835 | SS      |                |
|         | 15.04      | corhse** | 211     | 5082.7762 | 5427.8876 | SS      |                |
|         | 14.96      | corhse** | 212     | 5075.0864 | 5402.3036 | SS      |                |
|         | 15.32      | thresh** | 213     | 5090.0590 | 5425.6290 | SS      |                |
|         | 13.79      | topwlla  | 214     | 5051.0896 | 5400.0082 | SS      |                |
|         | 13.91      | topwllb* | 215     | 5048.9277 | 5403.3454 | SS      |                |
|         | 14.01      | topwll*c | 216     | 5055.8828 | 5424.4641 | SS      |                |
|         | 13.99      | topwll*d | 217     | 5066.1472 | 5457.6024 | SS      |                |
|         | 14.00      | topwll*e | 218     | 5086.4241 | 5466.9980 | SS      |                |
|         | 15.72      | topwll*f | 219     | 5114.9895 | 5478.0589 | SS      |                |
|         | 15.72      | topwll*g | 220     | 5130.8559 | 5483.9250 | SS      |                |
|         | 13.78      | gnd      | 221     | 5121.1764 | 5460.0677 | SS      |                |
|         | 13.81      | gnd      | 222     | 5104.6694 | 5459.1515 | SS      |                |
|         | 14.01      | gnd      | 223     | 5087.2798 | 5457.2467 | SS      |                |
|         | 13.42      | gnd@post | 224     | 5101.3099 | 5448.0256 | SS      |                |
|         | 12.95      | sign     | 225     | 5129.2051 | 5427.2249 | SS      |                |
|         | 12.13      | swale    | 226     | 5124.4911 | 5417.1598 | SS      |                |
|         | 12.34      | endblkhd | 227     | 5118.8919 | 5415.7649 | SS      |                |
|         | 15.17      | deck**** | 228     | 5098.1808 | 5423.2405 | SS      |                |
|         | 11.06      | tsdunes  | 229     | 5092.2430 | 5521.9382 | SS      |                |
|         | 4.89       | bs@rocks | 230     | 5054.9256 | 5569.5110 | SS      |                |
|         | 5.45       | bs@rocks | 231     | 5009.8072 | 5513.2416 | SS      |                |
|         | 4.83       | bs@rocks | 232     | 4961.1244 | 5447.7732 | SS      |                |
|         | 9.94       | tsdunes  | 233     | 5011.2420 | 5423.3744 | SS      |                |
|         | 10.37      | tsdunes  | 234     | 5033.9884 | 5463.5654 | SS      |                |
|         | 11.13      | pole**   | 235     | 5154.6374 | 5320.2742 | SS      |                |
|         | 10.92      | smh**    | 236     | 5158.9228 | 5365.8725 | SS      |                |
|         | 11.96      | topcorfn | 237     | 5128.1754 | 5374.7518 | SS      |                |
|         | 11.89      | corgar   | 238     | 5128.6910 | 5372.8893 | SS      |                |
|         |            | corgar   | 239     | 5110.6330 | 5374.1221 | SS      |                |
|         | 16.06      | top<fnc4 | 240     | 5121.4182 | 5376.3719 | SS      |                |
|         | 11.33      | lowep    | 241     | 5129.5469 | 5380.4912 | SS      |                |
|         | 12.01      | tspav    | 242     | 5118.1950 | 5381.5610 | SS      |                |
|         | 12.26      | fnc      | 243     | 5100.9289 | 5382.8774 | SS      |                |
|         | 16.97      | endfc3.6 | 244     | 5077.5478 | 5390.1945 | SS      |                |
|         | 13.87      | topwll** | 245     | 5078.8203 | 5391.1837 | SS      |                |
|         | 12.49      | ep@wl**  | 246     | 5075.6009 | 5401.8941 | SS      |                |
|         | 12.66      | ep@wl**  | 247     | 5073.3292 | 5393.0899 | SS      |                |
|         |            | corblld  | 248     | 5075.1972 | 5402.2260 | SS      |                |
|         | 12.16      | pav      | 249     | 5100.5874 | 5389.1443 | SS      |                |
|         | 12.05      | pav@jog* | 250     | 5106.7310 | 5392.6911 | SS      |                |
|         | 12.13      | pav@corb | 251     | 5111.6970 | 5391.5351 | SS      |                |
|         | 12.10      | pav@crst | 252     | 5118.4080 | 5391.7059 | SS      |                |
|         | 12.65      | tpcrstp  | 253     | 5119.4426 | 5395.5173 | SS      |                |
|         | 12.43      | corhse   | 254     | 5117.4301 | 5410.9666 | SS      |                |
|         | 12.34      | crplntr  | 255     | 5121.2470 | 5409.6808 | SS      |                |
|         | 11.09      | epjames  | 256     | 5139.3987 | 5386.1982 | SS      |                |
|         | 11.86      | pav**    | 257     | 5139.5100 | 5412.3951 | SS      |                |
|         | 12.03      | notpav*  | 258     | 5131.7357 | 5415.0818 | SS      |                |
|         | 11.99      | pav**    | 259     | 5125.9674 | 5408.4357 | SS      |                |
|         | 11.75      | pav**    | 260     | 5125.8443 | 5398.1783 | SS      |                |
|         | 11.39      | pav**    | 261     | 5132.8486 | 5383.3132 | SS      |                |
|         | 11.49      | corep    | 262     | 5130.8321 | 5377.8403 | SS      |                |
|         | 15.20      | fflel    | 263     | 5112.9873 | 5396.3188 | SS      |                |

Point#, Start#-End# or G#= 4-





Command= 210-

Point#, Start#-End# or G#= 1-287

| Bearing                                        | Distance | Elev | Descrip  | Pnt. | Northing  | Easting   | Type |
|------------------------------------------------|----------|------|----------|------|-----------|-----------|------|
| -----12-28-2023-----08:08:01-----D:...\BMHOME1 |          |      |          |      |           |           |      |
|                                                | 12.26    |      | SETHUB   | 1    | 5101.6999 | 5504.4743 |      |
|                                                | 12.71    |      | SETHUB   | 2    | 4992.3030 | 5204.6912 |      |
|                                                | 13.82    |      | SETHUB   | 3    | 4983.9229 | 5006.6084 |      |
|                                                | 10.17    |      | SETSPK   | 4    | 5101.1633 | 5002.2861 |      |
|                                                | 9.29     |      | SETMAGNL | 5    | 5255.1357 | 5102.4585 |      |
|                                                | 72.34    |      | FNDDHSB  | 6    | 5583.0904 | 5642.5462 | SS   |
|                                                | 15.17    |      | FNDIP*   | 7    | 5274.8935 | 5524.6088 | SS   |
|                                                | 14.58    |      | FNDDHSB  | 8    | 5228.2650 | 5506.9855 | SS   |
|                                                | 14.68    |      | FNDDHSB  | 9    | 5181.5463 | 5489.0108 | SS   |
|                                                | 10.90    |      | FNDIP    | 10   | 5151.9110 | 5315.0356 | SS   |
|                                                | 15.42    |      | TOPGBND* | 11   | 5100.7336 | 5447.7425 | SS   |
|                                                | 12.50    |      | OFFSET   | 12   | 5010.2947 | 5203.1230 | SS   |
|                                                | 12.19    |      | NL@GB*** | 13   | 5024.5359 | 5250.7290 | SS   |
|                                                | 13.67    |      | FNDDH**  | 14   | 4982.1214 | 5054.6563 | SS   |
|                                                | 13.00    |      | FND<IRON | 15   | 5004.8779 | 5102.6733 | SS   |
|                                                | 13.74    |      | TOPCLWLL | 16   | 4984.5457 | 5125.9424 | SS   |
|                                                | 10.16    |      | BOTFACWL | 17   | 4984.2258 | 5132.1193 | SS   |
|                                                | 13.92    |      | <FACWL   | 18   | 4987.0290 | 5203.3988 | SS   |
|                                                | 9.15     |      | FNDIP    | 19   | 5174.9059 | 5255.2898 | SS   |
|                                                | 10.57    |      | STONE*** | 20   | 5674.2138 | 5403.3688 | SS   |
|                                                | 9.30     |      | FNDIP    | 21   | 5515.4980 | 5295.2318 | SS   |
|                                                | 9.13     |      | APPCORFC | 22   | 5181.0585 | 5095.0171 | SS   |
|                                                | 10.45    |      | FNDNLPOL | 23   | 5246.0600 | 5090.5533 | SS   |
|                                                | 13.75    |      | CORENDWL | 24   | 4989.1537 | 5054.4433 | SS   |
|                                                | 11.33    |      | CORFNC** | 25   | 5004.0337 | 5053.5738 | SS   |
|                                                | 15.81    |      | CORDCK** | 26   | 5004.1527 | 5045.9522 | SS   |
|                                                |          |      | EDGROOF  | 27   | 5003.7263 | 5047.2059 | SS   |
|                                                | 13.82    |      | CORDECK  | 28   | 5000.4728 | 5045.7102 | SS   |
|                                                | 13.75    |      | CLWLCRDK | 29   | 4981.5138 | 5046.4657 | SS   |
|                                                | 13.75    |      | CLWLCLST | 30   | 4981.0134 | 5034.6579 | SS   |
|                                                | 10.32    |      | ENDSTP** | 31   | 4976.8342 | 5034.8215 | SS   |
|                                                | 13.74    |      | CLWLCRDK | 32   | 4980.4739 | 5020.5584 | SS   |
|                                                | 10.76    |      | CORWLL** | 33   | 4979.2683 | 5003.7352 | SS   |
|                                                | 13.71    |      | PIDCK**  | 34   | 4994.0630 | 5019.8649 | SS   |
|                                                | 13.69    |      | CORDCK   | 35   | 4998.8366 | 5013.8067 | SS   |
|                                                | 13.36    |      | CORHSE*  | 36   | 5002.7977 | 5019.5227 | SS   |
|                                                | 13.58    |      | CORDK33" | 37   | 5016.1232 | 5012.6926 | SS   |
|                                                | 13.75    |      | <WLFC**  | 38   | 5001.6638 | 5003.0718 | SS   |
|                                                | 13.73    |      | ENDWLLFC | 39   | 5018.6015 | 5010.1605 | SS   |
|                                                | 12.44    |      | CORHSE   | 40   | 5019.3558 | 5018.6715 | SS   |
|                                                | 15.36    |      | CORDCK** | 41   | 5033.2196 | 5017.8848 | SS   |
|                                                | 16.21    |      | <HSE     | 42   | 4985.0925 | 4939.2086 | SS   |
|                                                | 10.07    |      | CORHSEWD | 43   | 5026.2494 | 4957.0281 | SS   |
|                                                | 11.66    |      | CORFNC   | 44   | 5090.6604 | 4997.2148 | SS   |
|                                                | 11.28    |      | CORFNC   | 45   | 5069.0621 | 4987.9019 | SS   |
|                                                | 15.78    |      | DECK***  | 46   | 5009.2451 | 5036.2959 | SS   |

JOB #13 440cooper [287]

| Bearing | Distance | Elev    | Descrip  | Pnt.      | Northing  | Easting   | Type           |
|---------|----------|---------|----------|-----------|-----------|-----------|----------------|
| -----   | -----    | -----   | -----    | -----     | -----     | -----     | -----          |
|         |          | -12-28- | 2023-    | 08:08:01- |           |           | D:... \BMHOME1 |
|         |          |         | FNDIP    | 47        | 5090.2655 | 4997.0446 | TRA            |
|         |          |         | FNDIP    | 48        | 5010.2817 | 5202.9736 | TRA            |
|         | 14.03    |         | ENDFNC** | 49        | 5110.6245 | 5047.7827 | SS             |
|         | 11.85    |         | TOPIBAR* | 50        | 5093.1774 | 5048.5113 | SS             |
|         | 11.59    |         | BASESIGN | 51        | 5089.2570 | 5020.0922 | SS             |
|         | 11.58    |         | CORFNC   | 52        | 5051.2179 | 5043.3831 | SS             |
|         | 11.77    |         | CORHSE   | 53        | 5042.5029 | 5043.9486 | SS             |
|         | -37.74   |         | CORROOF  | 54        | 5043.3489 | 5043.9282 | SS             |
|         | 11.15    |         | CORFNC   | 55        | 5050.6620 | 5030.8102 | SS             |
|         | 11.28    |         | CORHSE   | 56        | 5041.5252 | 5025.5916 | SS             |
|         | 12.22    |         | CORSTP** | 57        | 5037.6622 | 5025.0561 | SS             |
|         | 11.25    |         | H2OS/O   | 58        | 5083.2905 | 5018.4978 | SS             |
|         | 10.15    |         | SMH      | 59        | 5102.5896 | 5011.4862 | SS             |
|         | 10.76    |         | POLE     | 60        | 5097.0572 | 4996.5675 | SS             |
|         |          |         |          | 100       | 5000.0000 | 5000.0000 |                |
|         |          |         |          | 101       | 5002.6437 | 5053.2344 | TRA            |
|         |          |         |          | 102       | 5005.1237 | 5103.1729 | TRA            |
|         |          |         |          | 103       | 5007.6037 | 5153.1113 | TRA            |
|         |          |         |          | 104       | 5010.0837 | 5203.0498 | TRA            |
|         |          |         |          | 105       | 5025.1942 | 5250.7119 | TRA            |
|         |          |         |          | 106       | 5040.3046 | 5298.3740 | TRA            |
|         |          |         |          | 107       | 5055.4150 | 5346.0361 | TRA            |
|         |          |         |          | 108       | 5070.5254 | 5393.6982 | TRA            |
|         |          |         |          | 109       | 5085.7446 | 5441.7034 | TRA            |
|         |          |         |          | 110       | 5101.2498 | 5447.6320 | TRA            |
|         |          |         |          | 111       | 5226.3935 | 5120.3479 | TRA            |
|         |          |         |          | 112       | 5192.9358 | 5098.6087 | TRA            |
|         |          |         |          | 113       | 5025.8493 | 5013.7950 | TRA            |
|         |          |         |          | 114       | 5000.0000 | 5000.0000 | TRA            |
|         |          |         |          | 115       | 5092.4592 | 5047.6064 | TRA            |
|         |          |         |          | 116       | 5185.9003 | 5095.0374 | TRA            |
|         |          |         |          | 117       | 5217.4790 | 5143.6617 | TRA            |
|         |          |         |          | 118       | 5200.6072 | 5187.7860 | TRA            |
|         |          |         |          | 119       | 5195.5713 | 5200.9561 | TRA            |
|         |          |         |          | 120       | 5174.8101 | 5255.2522 | TRA            |
|         |          |         |          | 121       | 5151.9274 | 5315.0966 | TRA            |
|         |          |         |          | 122       | 5129.0447 | 5374.9409 | TRA            |
|         |          |         |          | 123       | 5138.4062 | 5461.8393 | TRA            |
|         |          |         |          | 124       | 5260.2023 | 5143.3040 | INT            |
|         |          |         |          | 125       | 5430.1902 | 5258.7252 | TRA            |
|         |          |         |          | 126       | 5321.6536 | 5542.5826 | TRA            |
|         |          |         |          | 127       | 5134.8447 | 5471.1538 | INT            |
|         |          |         |          | 128       | 5359.1090 | 5556.9041 | TRA            |
|         |          |         |          | 129       | 5545.9187 | 5628.3333 | TRA            |
|         |          |         |          | 130       | 5583.2807 | 5642.6191 | TRA            |
|         |          |         |          | 131       | 5669.2099 | 5417.8870 | TRA            |
|         |          |         |          | 132       | 5632.7765 | 5401.1726 | TRA            |
|         |          |         |          | 133       | 5464.2883 | 5281.8268 | TRA            |
|         |          |         |          | 134       | 5228.2487 | 5506.8680 | TRA            |
|         |          |         |          | 135       | 5181.5463 | 5489.0108 | TRA            |
|         | 12.23    |         | 1sethub  | 200       | 5101.6999 | 5504.4743 | TRA            |
|         | 12.71    |         | 2hub     | 201       | 4992.3030 | 5204.6912 | SS             |
|         | 11.03    |         | setmgnl  | 202       | 5145.1091 | 5373.1424 | SS             |
|         | 9.30     |         | 5mgnl    | 203       | 5255.1325 | 5102.4694 | SS             |
|         | 12.56    |         | corhsea  | 204       | 5114.4739 | 5418.2150 | SS             |
|         | 12.48    |         | corhseb  | 205       | 5117.4786 | 5410.8952 | SS             |
|         | 14.06    |         | corhvac* | 206       | 5109.9418 | 5423.0202 | SS             |
|         | 13.17    |         | cordeck  | 207       | 5109.5710 | 5435.3611 | SS             |

JOB #13 440cooper [287]

| Bearing | Distance   | Elev     | Descrip | Pnt.      | Northing  | Easting | Type           |
|---------|------------|----------|---------|-----------|-----------|---------|----------------|
| -----   | -----      | -----    | -----   | -----     | -----     | -----   | -----          |
|         | 12-28-2023 | 08:08:01 |         |           |           |         | D:... \BMHOME1 |
|         | 13.78      | cordeck  | 208     | 5077.3962 | 5445.4198 | SS      |                |
|         | 13.82      | cordeck  | 209     | 5071.5163 | 5441.9707 | SS      |                |
|         | 13.65      | cordeck  | 210     | 5063.2217 | 5414.5835 | SS      |                |
|         | 15.04      | corhse** | 211     | 5082.7762 | 5427.8876 | SS      |                |
|         | 14.96      | corhse** | 212     | 5075.0864 | 5402.3036 | SS      |                |
|         | 15.32      | thresh** | 213     | 5090.0590 | 5425.6290 | SS      |                |
|         | 13.79      | topwlla  | 214     | 5051.0896 | 5400.0082 | SS      |                |
|         | 13.91      | topwllb* | 215     | 5048.9277 | 5403.3454 | SS      |                |
|         | 14.01      | topwll*c | 216     | 5055.8828 | 5424.4641 | SS      |                |
|         | 13.99      | topwll*d | 217     | 5066.1472 | 5457.6024 | SS      |                |
|         | 14.00      | topwll*e | 218     | 5086.4241 | 5466.9980 | SS      |                |
|         | 15.72      | topwll*f | 219     | 5114.9895 | 5478.0589 | SS      |                |
|         | 15.72      | topwll*g | 220     | 5130.8559 | 5483.9250 | SS      |                |
|         | 13.78      | gnd      | 221     | 5121.1764 | 5460.0677 | SS      |                |
|         | 13.81      | gnd      | 222     | 5104.6694 | 5459.1515 | SS      |                |
|         | 14.01      | gnd      | 223     | 5087.2798 | 5457.2467 | SS      |                |
|         | 13.42      | gnd@post | 224     | 5101.3099 | 5448.0256 | SS      |                |
|         | 12.95      | sign     | 225     | 5129.2051 | 5427.2249 | SS      |                |
|         | 12.13      | swale    | 226     | 5124.4911 | 5417.1598 | SS      |                |
|         | 12.34      | endblkhd | 227     | 5118.8919 | 5415.7649 | SS      |                |
|         | 15.17      | deck**** | 228     | 5098.1808 | 5423.2405 | SS      |                |
|         | 11.06      | tsdunes  | 229     | 5092.2430 | 5521.9382 | SS      |                |
|         | 4.89       | bs@rocks | 230     | 5054.9256 | 5569.5110 | SS      |                |
|         | 5.45       | bs@rocks | 231     | 5009.8072 | 5513.2416 | SS      |                |
|         | 4.83       | bs@rocks | 232     | 4961.1244 | 5447.7732 | SS      |                |
|         | 9.94       | tsdunes  | 233     | 5011.2420 | 5423.3744 | SS      |                |
|         | 10.37      | tsdunes  | 234     | 5033.9884 | 5463.5654 | SS      |                |
|         | 11.13      | pole**   | 235     | 5154.6374 | 5320.2742 | SS      |                |
|         | 10.92      | smh**    | 236     | 5158.9228 | 5365.8725 | SS      |                |
|         | 11.96      | topcorfn | 237     | 5128.1754 | 5374.7518 | SS      |                |
|         | 11.89      | corgar   | 238     | 5128.6910 | 5372.8893 | SS      |                |
|         |            | corgar   | 239     | 5110.6330 | 5374.1221 | SS      |                |
|         | 16.06      | top<fnc4 | 240     | 5121.4182 | 5376.3719 | SS      |                |
|         | 11.33      | lowep    | 241     | 5129.5469 | 5380.4912 | SS      |                |
|         | 12.01      | tspav    | 242     | 5118.1950 | 5381.5610 | SS      |                |
|         | 12.26      | fnc      | 243     | 5100.9289 | 5382.8774 | SS      |                |
|         | 16.97      | endfc3.6 | 244     | 5077.5478 | 5390.1945 | SS      |                |
|         | 13.87      | topwll** | 245     | 5078.8203 | 5391.1837 | SS      |                |
|         | 12.49      | ep@wl**  | 246     | 5075.6009 | 5401.8941 | SS      |                |
|         | 12.66      | ep@wl**  | 247     | 5073.3292 | 5393.0899 | SS      |                |
|         |            | corblld  | 248     | 5075.1972 | 5402.2260 | SS      |                |
|         | 12.16      | pav      | 249     | 5100.5874 | 5389.1443 | SS      |                |
|         | 12.05      | pav@jog* | 250     | 5106.7310 | 5392.6911 | SS      |                |
|         | 12.13      | pav@corb | 251     | 5111.6970 | 5391.5351 | SS      |                |
|         | 12.10      | pav@crst | 252     | 5118.4080 | 5391.7059 | SS      |                |
|         | 12.65      | tpcrstp  | 253     | 5119.4426 | 5395.5173 | SS      |                |
|         | 12.43      | corhse   | 254     | 5117.4301 | 5410.9666 | SS      |                |
|         | 12.34      | crplntr  | 255     | 5121.2470 | 5409.6808 | SS      |                |
|         | 11.09      | epjames  | 256     | 5139.3987 | 5386.1982 | SS      |                |
|         | 11.86      | pav**    | 257     | 5139.5100 | 5412.3951 | SS      |                |
|         | 12.03      | notpav*  | 258     | 5131.7357 | 5415.0818 | SS      |                |
|         | 11.99      | pav**    | 259     | 5125.9674 | 5408.4357 | SS      |                |
|         | 11.75      | pav**    | 260     | 5125.8443 | 5398.1783 | SS      |                |
|         | 11.39      | pav**    | 261     | 5132.8486 | 5383.3132 | SS      |                |
|         | 11.49      | corep    | 262     | 5130.8321 | 5377.8403 | SS      |                |
|         | 15.20      | fflel    | 263     | 5112.9873 | 5396.3188 | SS      |                |

Point#, Start#-End# or G#= 4-



ELEVATION CERTIFICATE

U.S. DEPARTMENT OF HOMELAND SECURITY  
Federal Emergency Management Agency  
National Flood Insurance Program

Important: Read the instructions on pages 1-8.

| SECTION A - PROPERTY INFORMATION                                                                      |                 | For Insurance Company Use: |
|-------------------------------------------------------------------------------------------------------|-----------------|----------------------------|
| A1. Building Owner's Name                                                                             | RENEE S. COOPER | Policy Number              |
| A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. | 15 JAMES STREET | Company NAIC Number        |
| City                                                                                                  | HAMPTON         | ZIP Code                   |
| State                                                                                                 | NH              | 03842                      |

A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)  
ASSESSORS MAP 152 LOT 10, ROCKINGHAM DEED BK 4465 PG 827

A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.)  
RESIDENTIAL  
A5. Latitude/Longitude: Lat. 42° 52' 38" N Long. 70° 47' 16" W  
Horizontal Datum: ☐ NAD 1927 ☒ NAD 1983  
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. N/A  
A7. Building Diagram Number 22  
A8. For a building with an attached garage, provide:  
a) Square footage of crawl space or enclosure(s) 775 sq ft  
b) No. of permanent flood openings in the crawl space or enclosure(s) walls within 1.0 foot above adjacent grade 3  
c) Total net area of flood openings in A8.b 1097 sq ft

A9. For a building with an attached garage, provide:  
a) Square footage of attached garage N/A sq ft  
b) No. of permanent flood openings in the attached garage walls within 1.0 foot above adjacent grade N/A  
c) Total net area of flood openings in A9.b N/A sq ft

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

|                                            |                   |                                                             |
|--------------------------------------------|-------------------|-------------------------------------------------------------|
| B1. NFIP Community Name & Community Number | B2. County Name   | B3. State                                                   |
| HAMPTON NH 330132                          | ROCKINGHAM        | NH                                                          |
| B4. Map/Panel Number                       | B5. Suffix        | B6. FIRM Index                                              |
| 33015C0433                                 | E                 | 5/17/05                                                     |
| B7. FIRM Panel Effective/Revised Date      | B8. Flood Zone(s) | B9. Base Flood Elevation(s) (Zone AO, use base flood depth) |
| 5/17/05                                    | A0                | DEPTH 1'                                                    |

B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9.  
☐ FIS Profile ☒ FIRM ☐ Community Determined ☐ Other (Describe) N/A

B11. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☐ NAVD 1988 ☐ Other (Describe) N/A

B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? ☐ Yes ☒ No  
Designation Date ☐ CBRS ☐ OPA

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on: ☐ Construction Drawings\* ☐ Building Under Construction\* ☐ Finished Construction  
\*A new Elevation Certificate will be required when construction of the building is complete.  
C2. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete items C2.a-g below according to the building diagram specified in Item A7.  
Benchmark Utilized \_\_\_\_\_ Vertical Datum \_\_\_\_\_  
Conversion/Comments \_\_\_\_\_

Check the measurement used.

|                                                                                                               |            |                                                    |
|---------------------------------------------------------------------------------------------------------------|------------|----------------------------------------------------|
| a) Top of bottom floor (including basement, crawl space, or enclosure floor)                                  | _____ feet | <input type="checkbox"/> meters (Puerto Rico only) |
| b) Top of the next higher floor                                                                               | _____ feet | <input type="checkbox"/> meters (Puerto Rico only) |
| c) Bottom of the lowest horizontal structural member (V Zones only)                                           | _____ feet | <input type="checkbox"/> meters (Puerto Rico only) |
| d) Attached garage (top of slab)                                                                              | _____ feet | <input type="checkbox"/> meters (Puerto Rico only) |
| e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments) | _____ feet | <input type="checkbox"/> meters (Puerto Rico only) |
| f) Lowest adjacent (finished) grade (LAG)                                                                     | _____ feet | <input type="checkbox"/> meters (Puerto Rico only) |
| g) Highest adjacent (finished) grade (HAG)                                                                    | _____ feet | <input type="checkbox"/> meters (Puerto Rico only) |

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

☐ Check here if comments are provided on back of form.

|                  |                |
|------------------|----------------|
| Certifier's Name | License Number |
| Title            | Company Name   |
| Address          | City           |
| State            | ZIP Code       |
| Signature        | Date           |
| Telephone        |                |

PLACE  
SEAL  
HERE

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.

15 JAMES STREET

City HAMPTON

State NH

ZIP Code 03842

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments

Signature

Date

SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

For Zones AO and A (without BFE), complete items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.

E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).

a) Top of bottom floor (including basement, crawl space, or enclosure) is 4.7 feet ☒ above or ☐ below the HAG.

b) Top of bottom floor (including basement, crawl space, or enclosure) is 4.7 feet ☒ above or ☐ below the LAG.

E2. For Building Diagrams 6-8 with permanent flood openings provided in Section A items 8 and/or 9 (see page 8 of instructions), the next higher floor (elevation C2.b in the diagrams) of the building is 1.9 feet ☒ above or ☐ below the HAG.

E3. Attached garage (top of slab) is N/A feet ☐ above or ☐ below the HAG.

E4. Top of platform of machinery and/or equipment servicing the building is 0.2 feet ☒ above or ☐ below the HAG.

E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? ☐ Yes ☐ No ☐ Unknown. The local official must certify this information in Section G.

SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.

Property Owner's or Owner's Authorized Representative's Name

ANNE W. BIALOBRZESKI

Address

PO Box 1306

City

HAMPTON NH

State

ZIP Code 03842-1306

Signature

Date

Telephone

103 929-7404

Comments

SURVEYOR ASSISTING BUILDING CONTRACTOR (8/24/07)

☐ Check here if attachments

SECTION G - COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in items G8, and G9.

G1. ☐ The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)

G2. ☐ A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.

G3. ☐ The following information (items G4-G9) is provided for community floodplain management purposes.

|                                                                                                                                          |                        |                                                     |
|------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-----------------------------------------------------|
| G4. Permit Number                                                                                                                        | G5. Date Permit Issued | G6. Date Certificate Of Compliance/Occupancy Issued |
|                                                                                                                                          |                        |                                                     |
| G7. This permit has been issued for: <input type="checkbox"/> New Construction <input type="checkbox"/> Substantial Improvement          |                        |                                                     |
| G8. Elevation of as-built lowest floor (including basement) of the building: _____ feet <input type="checkbox"/> meters (PR) Datum _____ |                        |                                                     |
| G9. BFE or (in Zone AO) depth of flooding at the building site: _____ feet <input type="checkbox"/> meters (PR) Datum _____              |                        |                                                     |
| Local Official's Name                                                                                                                    |                        |                                                     |
| Title                                                                                                                                    |                        |                                                     |
| Community Name                                                                                                                           |                        |                                                     |
| Telephone                                                                                                                                |                        |                                                     |
| Signature                                                                                                                                |                        |                                                     |
| Date                                                                                                                                     |                        |                                                     |
| Comments                                                                                                                                 |                        |                                                     |

☐ Check here if attachments



Stockton Services  
PO Box 1306  
Hampton, NH 03843-1306  
603 929-7404

Building Inspector  
Town of Hampton  
100 Winnacunnet Road  
Hampton, NH 03842


July 25, 2007

Dear Kevin:

Regarding building height certification for finished construction at 15 James Street, owner Renee S. Cooper, I certify that the building height is no greater than 34'7" above average existing grade 6' from building or at property line, whichever is closer.

Thank you.

Anne W. Bialobrzewski  
Stockton Services



Chuck -

ATTACHED IS REVISED ELEV CERT  
FOR RENEE COOPER, 15 JAMES ST.  
REVISED IN AUG AND GIVEN TO  
Mc GRAILS. WANTED TO BE SURE  
YOU GOT IT AS I KNOW THEY  
WERE TAKING CARE OF SOME  
OTHER ISSUES FOR THE C.O.

IT IS UNFORTUNATE THAT YOU  
THOUGHT IT NECESSARY TO GO  
BEHIND MY BACK IN THAT WAY.  
I WAS PERFECTLY WILLING TO  
(AND DID IN FACT) SPEAK TO DEAN  
SAVRAMIS MYSELF.

TOCKY

per chuck  
message  
8/24/07

Revised: per  
FEMA comments  
(Dean S was sent my  
cert to review for  
completeness)

1) add horiz datum (was 83)  
2) add explanation (who I am  
in section F) not required  
but should  
3) machinery platform must  
be referenced to reported H.A.G.  
No photos OK

I also  
spoke with  
Dean S this week

Sent  
revised copy to  
Renee  
delivered  
to Tom McGrail





Stockton Services  
PO Box 1306  
Hampton, NH 03843-1306  
603 929-7404

Building Inspector  
Town of Hampton  
100 Winnacunnet Road  
Hampton, NH 03842


July 24, 2007

Dear Kevin:

Per condition of building permit requiring as-built measurement of building height at 15 James Street (Renee Cooper), I certify that the finished building height, as measured from the first level sub-floor, conforms with the building plans approved for construction by your office.

This letter accompanies a FEMA elevation certificate also required for new construction. I have been advised by a FEMA official that section C is not required for buildings in the A0 zone, also that photos are only required for to accompany applications for insurance. If additional information is required to satisfy Town requirements, please let me know. (cell 765-8918).

Thanks very much,

A handwritten signature in black ink, appearing to read "A. Bialobrzewski", with a long horizontal flourish extending to the right.

Anne W. Bialobrzewski  
Stockton Services

Stockton Services  
PO Box 1306  
Hampton, NH 03843-1306  
603 929-7404

Building Inspector  
Town of Hampton  
100 Winnacunnet Road  
Hampton, NH 03842


July 25, 2007

Dear Kevin:


Regarding building height certification for finished construction at 15 James Street, owner Renee S. Cooper, I certify that the building height is no greater than 34'7" above average existing grade 6' from building or at property line, whichever is closer.

Thank you.

Anne W. Bialobrzewski  
Stockton Services







EL 47.50

add 1 1/2 - 2" FOR SHEATHING & SHINGLES

EL 42.04

ATTC

FLOOR

9"

7' 9"

EL 33.54

2ND FL

8' 10 1/4"

EL 24.69

2ND FL

11 3/4"

8' 3/4"

FLOOR

SUB FLOOR

EL 15.65

DECK EL 15.2

13 3/4" EL 14.51

TOP WALL

5 1/2"

HAG EL 13.82

5' 9"

LAG 12.51

4' 6"

SLAB EL 8.07


7' 7" (avg)

SHOULD BE 16" CHANGE TO 12" LAG EL 12.5  
FORGET  
USE 12.1  
FIRST FLOOR  
IS 2" ± HIGHER  
THAN OLD  
3/4" above sub floor

31'10 MAX


31' 9 3/4" ??





330132  
0006  
B  
7/3/1986





354,000 M

PANEL 0433E

# FIRM

## FLOOD INSURANCE RATE MAP

ROCKINGHAM COUNTY,

NEW HAMPSHIRE

(ALL JURISDICTIONS)

### PANEL 433 OF 681

(SEE MAP INDEX FOR FIRM PANEL LAYOUT)

#### CONTAINS:

| COMMUNITY              | NUMBER | PANEL | SUFFIX |
|------------------------|--------|-------|--------|
| HAMPTON, TOWN OF       | 330132 | 0433  | E      |
| NORTH HAMPTON, TOWN OF | 330232 | 0433  | E      |


Notice to User: The **Map Number** shown below should be used when placing map orders; the **Community Number** shown above should be used on insurance applications for the subject community.



MAP NUMBER  
33015C0433E


EFFECTIVE DATE  
MAY 17, 2005

Federal Emergency Management Agency



00/20/03






**WARRANTY DEED**

**Know All Men By These Presents That** we, Michael J. Marrone and Nancy J. Marrone, Husband and Wife of 15 James Street, Hampton, County of Rockingham and State of NH,

for consideration paid, grant to Keith W. Cooper and Renee S. Cooper, husband and wife, of 15 Gaslight Lane, Framingham, County of and State of MA as joint tenants with right of survivorship with **WARRANTY COVENANTS:**

SEE ATTACHED EXHIBIT A FOR COMPLETE LEGAL DESCRIPTION MADE A PART HEREOF.



**Meaning and Intending To** describe and convey all and the same premises as conveyed to Michael J. Marrone and Nancy J. Marrone

by Fiduciary Deed of Robert C. Pyle, Oden F. Pyle and Richard B. Pyle Executors of The Estate of Hazel F. Scribner dated September 16, 1980 recorded with the Rockingham County Registry of Deeds at Book 2373 Page 198.

**The said Grantor(s)**, Michael J. Marrone and Nancy J. Marrone, Husband and Wife release to said Grantee(s), all rights of homestead and other interests therein.

**In Witness Whereof**, we have hereunto set my/our hand(s) this 15th day of May, 1998.

*Boris E. Shere*  
Witness

*Michael J. Marrone by Michael J. Marrone under power of atty dated 4-30-98*  
Nancy J. Marrone  
*Nancy J. Marrone*

MASSACHUSETTS  
State of New Hampshire  
County of Rockingham ~~Suffolk~~ ss.

On this 15th day of May, 1998, personally appeared before me the above named Michael J. Marrone and Nancy J. Marrone.

May 19 1 39 PM '98

0031435

ROCKINGHAM COUNTY  
REGISTRY OF DEEDS

# From FEMA FLOOD STUDY 1986

fema.gov → catalog →  
detailed study

Summary of stillwater  
elevations

| <u>10 YR</u> | <u>50 YR</u> | <u>100 YR</u> | <u>500 YR</u> |
|--------------|--------------|---------------|---------------|
| 8.2          | 8.9          | 9.2           | 9.8           |

P15

"areas of shallow flooding determined  
for the lot side of dunes & seawalls  
(where wave run up exceeded height  
of obstruction)"



# HAMPTON ZONING BOARD OF ADJUSTMENT

## NOTICE OF DECISION

DATE: 7/22/05

38-05 The petition of Renee Cooper for property located at 15 James Street seeking relief from Articles 1.3, 4.5.1, 4.5.2 and 4.5.3 for the substantial renovation of existing non-conforming house and adding a (conforming) third floor. This property is located at Map 131, Lot 496 in a RA zone.

Regarding Article(s) 1.3, 4.5.1, 4.5.2 and 4.5.3 of the Zoning Ordinance has/have been

☒ granted  
☐ denied

subject to conditions listed below, by the affirmative vote of at least three (3) members of the Zoning Board of Adjustment.

***CONDITIONS: See attached copy of the original petition, which has been signed by the ZBA Chairman and Clerk.***

**NOTE:** Any person affected has a right to appeal this decision. If you wish to appeal, you must act within thirty (30) days of the date of the hearing (RSA 677.2). The necessary step, before any appeal may be taken to the courts, is to apply to the Board of Adjustment for a rehearing. The motion for rehearing must set forth all grounds on which you will base your appeal.

See New Hampshire Statutes, RSA Chapter 677, for details.

4. What the decision was: \_\_\_\_\_

5. Why you say that enforcement of the building code in your case

a. Would do manifest injustice \_\_\_\_\_

b. Would be contrary to the spirit and purpose of the building code and the public interest


### ABUTTERS

Name \_\_\_\_\_ Mailing Address \_\_\_\_\_

SEE ATTACHED

*List additional abutters on a separate sheet of paper.*

Date: June 27, 2005

Signed   
(Signatures of all applicants should appear here)  
Renée Cooper

**DO NOT FILL IN BELOW THIS LINE**

Petition Granted: ✓ Vote: 5-0 Petition Not Granted: \_\_\_\_\_ Vote: \_\_\_\_\_

Conditions, if any, upon which petition is granted:

① THIS APPROVAL DOES NOT ADDRESS ANY AREA WITHIN THE DEED RESTRICTION  
② THIS APPROVAL DOES NOT ADDRESS ANY AREAS OR STRUCTURES ON PUBLIC  
LAND

If applicable, reasons for not granting petition:

Date 7/21/05

Chairman 

Clerk 



# FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

**ATTENTION:** Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

| SECTION A PROPERTY INFORMATION                                                                                          |                    | FOR INSURANCE COMPANY USE |
|-------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------|
| BUILDING OWNER'S NAME<br><b>Keith Cooper</b>                                                                            |                    | POLICY NUMBER             |
| STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER<br><b>15 James Street</b> |                    | COMPANY NAIC NUMBER       |
| OTHER DESCRIPTION (Lot and Block Numbers, etc.)<br><b>Tax Map 152, Lot 010-001</b>                                      |                    |                           |
| CITY<br><b>Hampton</b>                                                                                                  | STATE<br><b>NH</b> | ZIP CODE<br><b>03842</b>  |

## SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

| 1. COMMUNITY NUMBER | 2. PANEL NUMBER | 3. SUFFIX | 4. DATE OF FIRM INDEX | 5. FIRM ZONE | 6. BASE FLOOD ELEVATION<br>(in AO Zones, use depth) |
|---------------------|-----------------|-----------|-----------------------|--------------|-----------------------------------------------------|
| 330132              | 0008            | B         | July 6, 1986          | AO           | 1'                                                  |

7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): ☒ NGVD '29 ☐ Other (describe on back)
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:  feet NGVD (or other FIRM datum—see Section B, Item 7).

## SECTION C BUILDING ELEVATION INFORMATION

- Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level: **2**.
- (a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of  feet NGVD (or other FIRM datum—see Section B, Item 7).
- (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of  feet NGVD (or other FIRM datum—see Section B, Item 7).
- (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is  feet above ☐ or below ☐ (check one) the highest grade adjacent to the building.
- (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is  feet above ☐ or below ☒ (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? ☐ Yes ☐ No ☐ Unknown
- Indicate the elevation datum system used in determining the above reference level elevations: ☒ NGVD '29 ☐ Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
- Elevation reference mark used appears on FIRM: ☐ Yes ☒ No (See Instructions on Page 4)
- The reference level elevation is based on: ☒ actual construction ☐ construction drawings  
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
- The elevation of the lowest grade immediately adjacent to the building is:  feet NGVD (or other FIRM datum—see Section B, Item 7).

## SECTION D COMMUNITY INFORMATION

- If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:  feet NGVD (or other FIRM datum—see Section B, Item 7).
- Date of the start of construction or substantial improvement:



## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available.  
I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.


|                                            |                |                                                |                       |
|--------------------------------------------|----------------|------------------------------------------------|-----------------------|
| CERTIFIER'S NAME<br>Richard K. Parker, Jr. |                | LICENSE NUMBER (or Affix Seal)<br>N.H.L.L.S.#8 |                       |
| TITLE<br>President/Owner                   |                | COMPANY NAME<br>Parker Survey Associates, Inc. |                       |
| ADDRESS<br>13 Hampton Road                 | CITY<br>Exeter | STATE<br>NH                                    | ZIP<br>03833          |
| SIGNATURE<br><i>Richard K. Parker Jr.</i>  |                | DATE<br>3/9/98                                 | PHONE<br>603-778-0528 |

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS:



*Richard K. Parker Jr.*



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.



15.2  
 1.2'  
 14.0' PLATFORM  
 0.2' HAG 138


John Meikle  
 jmeikle@tms-architects.com Bm HOME 1  
 JOB 13

See

yn

SEE 411 PENDER  
 Ann Memorial 5002

3293-1569



Auction

Gallery

6:30 Sat Night

New maps  
 effective  
 5/17/05

Still in AO  
 map# 33015C0433E

1194